Title Index of Volume 37, 1999

Volume 37, Number 1

Stochastic Determination of the Wierden (Netherlands) Capture Zones by M. van Leeuwen, C.B.M. te Stroet, A.P. Butler, J.A. Tompkins, 8-17.

KYSPILL: A Practical Modeling System of Scale-Dependent Dispersion after Chemical Spills by S.E. Serrano, 18-22.

An Analytical Solution for Steady Flow into a Tunnel by S. Lei, 23-26.

LPM-N: A Lumped Parameter Model for Nitrogen Leaching in Agricultural Lands by A.I. El-Kadi, G. Ling, 27-33.

New Casing and Backfill Design for Neutron Logging Access Boreholes by P.T. Zawislanski, B. Faybishenko, 33-37.

Designing a Monitoring Network for Contaminated Ground Water in Fractured Chalk by R. Nativ, E.M. Adar, A. Becker, 38-47.

Core-Based Investigation of NMR Logging as a Tool for Characterization of Shallow Unconsolidated Aquifers by R.A. James, R. Ehrlich, 48-57.

Multicell Model for Ground Water Recharge Analysis: The Ibi River Basin, Japan by T. Sato, J. Kojima, H.A. Loaiciga, 58-69.

Effects of Steady-State Assumption on Hydraulic Conductivity and Recharge Estimates in a Surficial Aquifer System by K.J. Halford, 70-79.

A Model of Ground Water Discharge from an Unconfined Coastal Aquifer by M.A. Robinson, D.L. Gallagher, 80-87.

Factors Influencing Well Productivity in Glaciated Metamorphic Rocks by S.B. Mabee, 88-97.

Unsteady Stream Depletion from Ground Water Pumping by B. Hunt, 98-102.

Effects of Velocity on the Transport of Two Bacteria Through Saturated Sand by M.J. Hendry, J.R. Lawrence, P. Maloszewski, 103-112.

Degradation of Aromatic and Chlorinated Aliphatic Hydrocarbons in the Anaerobic Part of the Grindsted Landfill Leachate Plume: In Situ Microcosm and Laboratory Batch Experiments by P.L. Bjerg, K. Rügge, J. Cortsen, P.H. Nielsen, T.H. Christensen, 113-121.

Bioremediation of Petroleum Hydrocarbon-Contaminated Ground Water: The Perspectives of History and Hydrology by F.H. Chapelle, 122-132.

Tracing Ground Water Recharge in an Agricultural Watershed with Isotopes by G. Cane, I.D. Clark, 133-139.

Dynamics of DNAPL Penetration into Fractured Porous Media by B. Ross, N. Lu, 140-147.

Volume 37, Number 2

Flow to a Well in a Water Table Aquifer: Speeding Up the Computation Type Curves for Low Beta Values by A. Gieske, 171-174.

Field Data and Ground Water Modeling in a Layered Fractured Aquifer by W.J. Gburek, G.J. Folmar, J.B. Urban, 175-184.

Two-Dimensional Sensitivity Analysis of Contaminant Transport in the Unsaturated Zone by S. Boateng, J.D. Cawlfield, 185-193.

Reef and Nonreef Aquifers—A Comparison of Hydrogeology and Geochemistry, Northwestern Indiana by D.J. Schnoebelen, N.C. Krothe, 194-203.

Framework for Ground Water Protection—The Managua Ground Water System as an Example by P.-O. Johansson, C. Scharp, T. Alveteg, A. Choza, 204-213.

Joint Management of Surface and Ground Water Supplies by H. Basagaoglu, M.A. Mariño, 214-222.

Determining the Hydraulic Conductivity Spatial Structure at the Twin Lake Site by Grain-Size Distribution by P. Indelman, G. Moltyaner, G. Dagan, 223-227.

Phosphate Plume Persistence at Two Decommissioned Septic System Sites by W.D. Robertson, J. Harman, 228-236.

Importance of Rock Matrix Entry Pressure on DNAPL Migration in Fractured Geologic Materials by K.J. Slough, E.A. Sudicky, P.A. Forsyth, 237-244.

Post Audit of a Numerical Prediction of Wellfield Drawdown in a Semiconfined Aquifer System by M. Stewart, C. Langevin, 245-254.

Time-Related Capture Zones for Contaminants in Randomly Heterogeneous Formations by A. Guadagnini, S. Franzetti, 253-260.

Ground Water Salinization Caused by Residual Neogene and Pliocene Sea Water— An Example from the Judea Group Aquifer, Southern Israel by E. Rosenthal, G. Weinberger, J. Kronfeld, 261-270.

Cost Effectiveness of Well Site Selection Methods in a Fractured Aquifer by K.C. Taylor, T.B. Minor, M.M. Chesley, K. Matanawi, 271-274.

Rethinking Poisson-Based Statistics for Ground Water Quality Monitoring by J.C. Loftis, H.K. Iyer, H.J. Baker, 275-281.

Relationship Between Lineaments and Ground Water Occurrence in Western Botswana by M. Magowe, J.R. Carr, 282-286.

Bicarbonate, Sulfate, and Chloride Water in a Shallow, Clastic-Dominated Coastal Flow System, Argentina by W.S. Logan, M.P. Auge, H.O. Panarello, 287-295.

Evaluation of Electromagnetic Induction as a Reconnaissance Technique to Characterize Unsaturated Flow in an Arid Setting by B.R. Scanlon, J.G. Paine, R.S. Goldsmith, 296-304.

In-Well Hydraulics of the Electromagnetic Borehole Flowmeter by C.L. Dinwiddie, N.A. Foley, F.J. Molz, 305-315.

Volume 37, Number 3

Recharge Estimation by Stage-Discharge Interpolation of Springflows from Cross-Correlated Well Measurements by W.H. Avery, J.J. Donovan, J.N. Ketchum, 332-337.

Spatial and Temporal Variability of Hydraulic Conductivity in Active Reattachment Bars of the Colorado River, Grand Canyon by A.E. Springer, W.D. Petroutson, B.A. Semmens, 338-344.

Model Calibration with Multiple Targets: A Case Study by K. Kim, M.P. Anderson, C.J. Bowser, 345-351.

Analytical Modeling of Aquifer Pollution Caused by Solid Waste Depositories by D.V. Rudakov, V.C. Rudakov, 352-357.

Characterization of a Ground Water Hydrochemical System Through Multivariate Analysis: Clustering into Ground Water Zones by H. Suk, K.-K. Lee, 358-365.

The Channel Network Model—A Tool for Transport Simulations in Fractured Media by B. Gylling, L. Moreno, I. Neretnieks, 367-375.

Fluorescent Dye and Media Properties Affecting Sorption and Tracer Selection by T. Kasnavia, D. Vu, D.A. Sabatini, 376-381.

Optimal Configuration of a Wellfield by P.K. Swamee, A. Tyagi, V.K. Shandilya, 382-386.

Transport and Attenuation of Carboxylate-Modified Latex Microspheres in Fractured Rock Laboratory and Field Tracer Tests by M.W. Becker, P.W. Reimus, P. Vilks, 387-395.

Hydraulic and Geochemical Performance of a Permeable Reactive Barrier Containing Zero-Valent Iron, Denver Federal Center by P.B. McMahon, K.F. Dennehy, M.W. Sandstrom, 396-404.

Caffeine and Pharmaceuticals as Indicators of Waste Water Contamination in Wells by R.L. Seiler, S.D. Zaugg, J.M. Thomas, D.L. Howcroft, 405-410.

The Effects of Bag Type and Meter Size on Seepage Meter Measurements by S.A. Isiorho, J.H. Meyer, 411-413.

Hydrochemical Approach to the Alterations of the Recharge of a Karst Aquifer Consecutive to a Long Pumping Period: Example Taken from Pinchinade Graben (Mouans-Sartoux, French Riviera) by A. Reynaud, Y. Guglielmi, J. Mudry, C. Mangan, 414-417.

Development of a Comprehensive Watershed Model Applied to Study Stream Yield under Drought Conditions by S.P. Perkins, M. Sophocleous, 418-426.

Enhancements for Passive Vapor Extraction: The Hanford Study by M.G. Ellerd, J.W. Massmann, D.P. Schwaegler, V.J. Rohay, 427-437.

Title Index of Volume 37, 1999

Volume 37, Number 1

Stochastic Determination of the Wierden (Netherlands) Capture Zones by M. van Leeuwen, C.B.M. te Stroet, A.P. Butler, J.A. Tompkins, 8-17.

KYSPILL: A Practical Modeling System of Scale-Dependent Dispersion after Chemical Spills by S.E. Serrano, 18-22.

An Analytical Solution for Steady Flow into a Tunnel by S. Lei, 23-26.

LPM-N: A Lumped Parameter Model for Nitrogen Leaching in Agricultural Lands by A.I. El-Kadi, G. Ling, 27-33.

New Casing and Backfill Design for Neutron Logging Access Boreholes by P.T. Zawislanski, B. Faybishenko, 33-37.

Designing a Monitoring Network for Contaminated Ground Water in Fractured Chalk by R. Nativ, E.M. Adar, A. Becker, 38-47.

Core-Based Investigation of NMR Logging as a Tool for Characterization of Shallow Unconsolidated Aquifers by R.A. James, R. Ehrlich, 48-57.

Multicell Model for Ground Water Recharge Analysis: The Ibi River Basin, Japan by T. Sato, J. Kojima, H.A. Loaiciga, 58-69.

Effects of Steady-State Assumption on Hydraulic Conductivity and Recharge Estimates in a Surficial Aquifer System by K.J. Halford, 70-79.

A Model of Ground Water Discharge from an Unconfined Coastal Aquifer by M.A. Robinson, D.L. Gallagher, 80-87.

Factors Influencing Well Productivity in Glaciated Metamorphic Rocks by S.B. Mabee, 88-97.

Unsteady Stream Depletion from Ground Water Pumping by B. Hunt, 98-102.

Effects of Velocity on the Transport of Two Bacteria Through Saturated Sand by M.J. Hendry, J.R. Lawrence, P. Maloszewski, 103-112.

Degradation of Aromatic and Chlorinated Aliphatic Hydrocarbons in the Anaerobic Part of the Grindsted Landfill Leachate Plume: In Situ Microcosm and Laboratory Batch Experiments by P.L. Bjerg, K. Rügge, J. Cortsen, P.H. Nielsen, T.H. Christensen, 113-121.

Bioremediation of Petroleum Hydrocarbon-Contaminated Ground Water: The Perspectives of History and Hydrology by F.H. Chapelle, 122-132.

Tracing Ground Water Recharge in an Agricultural Watershed with Isotopes by G. Cane, I.D. Clark, 133-139.

Dynamics of DNAPL Penetration into Fractured Porous Media by B. Ross, N. Lu, 140-147.

Volume 37, Number 2

Flow to a Well in a Water Table Aquifer: Speeding Up the Computation Type Curves for Low Beta Values by A. Gieske, 171-174.

Field Data and Ground Water Modeling in a Layered Fractured Aquifer by W.J. Gburek, G.J. Folmar, J.B. Urban, 175-184.

Two-Dimensional Sensitivity Analysis of Contaminant Transport in the Unsaturated Zone by S. Boateng, J.D. Cawlfield, 185-193.

Reef and Nonreef Aquifers—A Comparison of Hydrogeology and Geochemistry, Northwestern Indiana by D.J. Schnoebelen, N.C. Krothe, 194-203.

Framework for Ground Water Protection—The Managua Ground Water System as an Example by P.-O. Johansson, C. Scharp, T. Alveteg, A. Choza, 204-213.

Joint Management of Surface and Ground Water Supplies by H. Basagaoglu, M.A. Mariño, 214-222.

Determining the Hydraulic Conductivity Spatial Structure at the Twin Lake Site by Grain-Size Distribution by P. Indelman, G. Moltyaner, G. Dagan, 223-227.

Phosphate Plume Persistence at Two Decommissioned Septic System Sites by W.D. Robertson, J. Harman, 228-236.

Importance of Rock Matrix Entry Pressure on DNAPL Migration in Fractured Geologic Materials by K.J. Slough, E.A. Sudicky, P.A. Forsyth, 237-244.

Post Audit of a Numerical Prediction of Wellfield Drawdown in a Semiconfined Aquifer System by M. Stewart, C. Langevin, 245-254.

Time-Related Capture Zones for Contaminants in Randomly Heterogeneous Formations by A. Guadagnini, S. Franzetti, 253-260.

Ground Water Salinization Caused by Residual Neogene and Pliocene Sea Water— An Example from the Judea Group Aquifer, Southern Israel by E. Rosenthal, G. Weinberger, J. Kronfeld, 261-270.

Cost Effectiveness of Well Site Selection Methods in a Fractured Aquifer by K.C. Taylor, T.B. Minor, M.M. Chesley, K. Matanawi, 271-274.

Rethinking Poisson-Based Statistics for Ground Water Quality Monitoring by J.C. Loftis, H.K. Iyer, H.J. Baker, 275-281.

Relationship Between Lineaments and Ground Water Occurrence in Western Botswana by M. Magowe, J.R. Carr, 282-286.

Bicarbonate, Sulfate, and Chloride Water in a Shallow, Clastic-Dominated Coastal Flow System, Argentina by W.S. Logan, M.P. Auge, H.O. Panarello, 287-295.

Evaluation of Electromagnetic Induction as a Reconnaissance Technique to Characterize Unsaturated Flow in an Arid Setting by B.R. Scanlon, J.G. Paine, R.S. Goldsmith, 296-304.

In-Well Hydraulics of the Electromagnetic Borehole Flowmeter by C.L. Dinwiddie, N.A. Foley, F.J. Molz, 305-315.

Volume 37, Number 3

Recharge Estimation by Stage-Discharge Interpolation of Springflows from Cross-Correlated Well Measurements by W.H. Avery, J.J. Donovan, J.N. Ketchum, 332-337.

Spatial and Temporal Variability of Hydraulic Conductivity in Active Reattachment Bars of the Colorado River, Grand Canyon by A.E. Springer, W.D. Petroutson, B.A. Semmens, 338-344.

Model Calibration with Multiple Targets: A Case Study by K. Kim, M.P. Anderson, C.J. Bowser, 345-351.

Analytical Modeling of Aquifer Pollution Caused by Solid Waste Depositories by D.V. Rudakov, V.C. Rudakov, 352-357.

Characterization of a Ground Water Hydrochemical System Through Multivariate Analysis: Clustering into Ground Water Zones by H. Suk, K.-K. Lee, 358-365.

The Channel Network Model—A Tool for Transport Simulations in Fractured Media by B. Gylling, L. Moreno, I. Neretnieks, 367-375.

Fluorescent Dye and Media Properties Affecting Sorption and Tracer Selection by T. Kasnavia, D. Vu, D.A. Sabatini, 376-381.

Optimal Configuration of a Wellfield by P.K. Swamee, A. Tyagi, V.K. Shandilya, 382-386.

Transport and Attenuation of Carboxylate-Modified Latex Microspheres in Fractured Rock Laboratory and Field Tracer Tests by M.W. Becker, P.W. Reimus, P. Vilks, 387-395.

Hydraulic and Geochemical Performance of a Permeable Reactive Barrier Containing Zero-Valent Iron, Denver Federal Center by P.B. McMahon, K.F. Dennehy, M.W. Sandstrom, 396-404.

Caffeine and Pharmaceuticals as Indicators of Waste Water Contamination in Wells by R.L. Seiler, S.D. Zaugg, J.M. Thomas, D.L. Howcroft, 405-410.

The Effects of Bag Type and Meter Size on Seepage Meter Measurements by S.A. Isiorho, J.H. Meyer, 411-413.

Hydrochemical Approach to the Alterations of the Recharge of a Karst Aquifer Consecutive to a Long Pumping Period: Example Taken from Pinchinade Graben (Mouans-Sartoux, French Riviera) by A. Reynaud, Y. Guglielmi, J. Mudry, C. Mangan, 414-417.

Development of a Comprehensive Watershed Model Applied to Study Stream Yield under Drought Conditions by S.P. Perkins, M. Sophocleous, 418-426.

Enhancements for Passive Vapor Extraction: The Hanford Study by M.G. Ellerd, J.W. Massmann, D.P. Schwaegler, V.J. Rohay, 427-437.

Cross-Well Slug Testing in Unconfined Aquifers: A Case Study from the Sleepers River Watershed, Vermont by K. Belitz, W. Dripps, 438-447.

Multiple Geochemical and Isotopic Approaches for Assessing Ground Water NO_3^- Elimination in a Riparian Zone by M. Mengis, S.L. Schiff, M. Harris, M.C. English, R. Aravena, R.J. Elgood, A. MacLean, 448-457.

Spatial Estimation of Transmissivity Using Artificial Neural Network by A. Mukhopadhyay, 458-464.

Numerical Simulation of Pumping Tests in Multilayer Wells with Non-Darcian Flow in the Wellbore by C. Chen, J.J. Jiao, 465-474.

Volume 37, Number 4

A Heuristic Model of Aerobic Biodegradation of Dissolved Hydrocarbons in Aquifers by Y. Ma, M.W. Kemblowski, G.E. Urroz, 491-497.

Numerical Modeling of Perched Water Under Yucca Mountain, Nevada by J.J. Hinds, S. Ge, C.J. Fridrich, 498-504.

Localized Sulfate-Reducing Zones in a Coastal Plain Aquifer by C.J. Brown, J.D. Coates, M.A.A. Schoonen, 505-516.

Analysis of Convective Heat Transfer in Deformed and Stratified Aquifers Associated with Frasch Thermal Mining by D.D. Williams, M.-K. Lee, J.E. Crawford, P.O. Tyree, 517-522.

Mass-Transfer Limitations for Macroscale Bioremediation Modeling and Implications on Aquifer Clogging by T.R. MacDonald, P.K. Kitanidis, P.L. McCarty, P.V. Roberts, 523-531.

Some Analytical and Approximate Darcian Means by D.L. Baker, M.E. Arnold, H.D. Scott, 532-538.

Estimation of Permeability of Disturbed Halite Using Inverse Modeling by M. Cardenas, C. LeCompte, G. Cua, 539-545.

A Mathematical Model for the Hydraulic Properties of Deforming Porous Media by J.-M. Kim, R.R. Parizek, 546-554.

Effects of Shear Detachment on Biomass Growth and In Situ Bioremediation by T.R. MacDonald, P.K. Kitanidis, P.L. McCarty, P.V. Roberts, 555-563.

Improved Piezometer Construction and Sampling Techniques to Determine Pore Water Chemistry in Aquitards by L.I. Wassenaar, M.J. Hendry, 564-571.

Impacts of Irrigated Vegetable Agriculture on a Humid North-Central U.S. Sand Plain Aquifer by G.J. Kraft, W. Stites, D.J. Mechenich, 572-580.

Laboratory Investigation of Surfactant-Enhanced Trichloroethen Solubilization Using Single-Well, "Push-Pull" Tests by J.A. Field, J.D. Istok, M.H. Schroth, T.E. Sawyer, M.D. Humphrey, 581-588.

Laboratory and Field Investigation of Surfactant Sorption Using Single-Well, "Push-Pull" Tests by J.D. Istok, J.A. Field, M.H. Schroth, T.E. Sawyer, M.D. Humphrey, 589-598.

Effect of Shallow Penetration and Streambed Sediments on Aquifer Response to Stream Stage Fluctuations (Analytical Model) by V.A. Zlotnik, H. Huang, 599-605.

Inferring Ground Water Flow in Fractured Rock from Dissolved Radon by P.G. Cook, A.J. Love, J.C. Dighton, 606-610.

A Numerical Study on the Relationship Between Transmissivity and Specific Capacity in Heterogeneous Aquifers by P.M. Meier, J. Carrera, X. Sánchez-Vila, 611-617.

Uranium Removal from Ground Water Using Zero Valent Iron Media by J. Farrell, W.D. Bostick, R.J. Jarabek, J.N. Fiedor, 618-624.

Significance of Unsaturated Flow and Seepage Faces in the Simulation of Steady-State Subsurface Flow by C.G. Romano, E.O. Frind, D.L. Rudolph, 625-632.

Volume 37, Number 5

Modeling Analysis of Ground Water Recharge Potential on Alluvial Fans Using Limited Data, by A. Munévar, M.A. Mariño, 649-659.

On the Use of Semi-Logarithmic Plots for Baseflow Separation by J. Szilagyi, 660-662.

Spatial and Temporal Characteristics of Saline Springs: Sea of Galilee, Israel by A. Rimmer, S. Hurwitz, H. Gvirtzman, 663-673.

Role of Macropores in Solute Transport under Ponded Water Condition Produced by Laboratory Simulated Intense Storms by M.Z. Iqbal. 674-681.

Use of Combined Shewart-CUSUM Control Charts for Ground Water Monitoring Applications by R.D. Gibbons, 682-691.

Analysis of the Quality of Parameter Estimates from Repeated Pumping and Slug Tests in a Fractured Porous Aquifer System in Wonju, Korea by J.-Y. Lee, K.-K. Lee, 692-700.

Predicted Retardations of Concentration Fronts Using a Mass-Balance Approach by R.K. Stoessell, 701-706.

Natural Attenuation of BTEX Compounds: Model Development and Field-Scale Application by G. Lu, T.P. Clement, C. Zheng, T.H. Wiedemeier, 707-717.

Characterizing a Faulted Aquifer by Field Testing and Numerical Simulation by D.M. Allen, F.A. Michel, 718-728.

Application of Flowmeter and Depth-Dependent Water Quality Data for Improved Production Well Construction by M.A. Gossell, T. Nishikawa, R.T. Hanson, J.A. Izbicki, M.A. Tabidian, K. Bertine, 729-735.

Sensitivity Study on Hydraulic Well Testing Inversion Using Simulated Annealing by S. Nakao, J. Najita, K. Karasaki, 736-747.

Simple Probabilistic and Statistical Risk Calculations in an Aquifer by Z. Sen, 748-754.

Monitoring the Hydraulic Performance of a Containment System with Significant Barometric Pressure Effects by P.W. Hare, R.E. Morse, 755-765.

Skin Localization at Wells Drilled in a Vertical Fault Zone by I. Bardenhagen, 764-769.

Modeling Ground Water Flow and Radioactive Transport in a Fractured Aquifer by G. Pohll, A.E. Hassan, J.B. Chapman, C. Papelis, R. Andricevic, 770-784.

A Field Study of Nonequilibrium and Facilitated Transport of Cd in an Alluvial Gravel Aquifer by L. Pang, M. Close, 785-792.

Volume 37, no. 6

Modeling In Situ Iron Removal from Ground Water by C.A.J. Appelo, B. Drijver, R. Hekkenberg, M. de Jonge, 811-817.

Risk-Based Decision Analysis of Atmospheric Emission Alternatives to Reduce Ground Water Degradation on the European Scale by D. Wladis, L. Rosén, H. Kros, 818-826.

Oscillatory Slug-Test Data Sets: A Comparison of Two Methods by W.D. Weight, G.P. Wittman, 827-835.

Estimating Rainfall Recharge and Soil Water Residence Times in Pukekohe, New Zealand, by Combining Geophysical, Chemical, and Isotopic Methods by M.R. Rosen, J. Bright, P. Carran, M.K. Stewart, R. Reeves, 836-844.

Hydraulic Properties and Uncertainty Analysis for an Unconfined Alluvial Aquifer by X. Chen, J. Goeke, S. Summerside, 845-854.

Estimating Transmissivity from the Water Level Fluctuations of a Sinusoidally Forced Well by E. Mehnert, A.J. Valocchi, M. Heidari, S.G. Kapoor, P. Kumar, 855-860.

Characterizing a Sewage Plume Using the ^3H-^3He Dating Technique by S.D. Shapiro, D. LeBlanc, P. Schlosser, A. Ludin, 861-878.

Numerical Modeling of Drainage Schemes in Layered Formations: A Kuwait City Case Study by F. Székely, 879-883.

In Situ Redox Manipulation by Dithionite Injection: Intermediate-Scale Laboratory Experiments by J.D. Istok, J.E. Amonette, C.R. Cole, J.S. Fruchter, M.D. Humphrey, J.E. Szecsody, S.S. Teel, V.R. Vermeul, M.D. Williams, S.B. Yabusaki, 884-889.

TEM Investigations of Aquifers in the Southwest Coast of Taiwan by C.-S. Chen, 890-896.

Determining Karst Transmissivities with Inverse Modeling and an Equivalent Porous Media by M. Larocque, O. Banton, P. Ackerer, M. Razack, 897-903.

Scale Dependency of Hydraulic Conductivity in Heterogeneous Media by D. Schulze-Makuch, D.A. Carlson, D.S. Cherkauer, P. Malik, 904-919.

Seasonal Correlation of Well Contamination and Septic Tank Distance by L.J. Arnade, 920-923.

Hydrologic Setting of Two Interdunal Valleys in the Central Sand Hills of Nebraska by D.C. Gosselin, S. Drda, F.E. Harvey, J. Goeke, 924-933.

Convergence of Stochastic Optimization and Decision Analysis in the Engineering Design of Aquifer Remediation by R.A. Freeze, S.M. Gorelick, 934-954.

Book Reviews

Applications of Geophysics in Environmental Investigations by John P. Greenhouse, David D. Slaine, and Paul Gudjurgis (CD-ROM). Reviewed by William A. Sauck, v. 37, no. 6: 806-807.

Applied Mathematics in Hydrogeology by Tien-Chang Lee. Reviewed by Charles R. Fitts, v. 37, no. 5: 645.

Contaminant Hydrogeology, 2nd ed., by C.W. Fetter. Reviewed by Lois K. Ongley, v. 37, no. 1: 5-6.

Diffusion in Natural Porous Media: Contaminant Transport, Sorption/Desorption and Dissolution Kinetics by Peter Grathwohl. Reviewed by William P. Ball, v. 37, no. 1: 5.

Elements of Physical Hydrology by G.M. Hornberger, J.P. Raffensperger, P.L. Wiberg, and K.N. Eshleman. Reviewed by Keith Loague, v. 37, no. 3: 327-328.

Hydrology for Engineers, Geologists, and Environmental Professionals by Sergio Serrano. Reviewed by Laura L. Sanders, v. 37, no. 2: 169-170.

Hydrology in Practice—A Guide to Characterizing Ground-Water Systems by William J. Stone. Reviewed by J.V. Brahana, v. 37, no. 3: 328.

A Mathematical Primer on Groundwater Flow, by John F. Hermance. Reviewed by Harihar Rajaram, v. 37, no. 2: 169.

Modeling Density-Driven Flow in Porous Media by Ekkehard Holzbecher. Reviewed by Anne E. Carey, v. 37, no. 4: 488.

Practical Design Calculations for Groundwater and Soil Remedation by Jeff Kuo. Reviewed by Hans W. Meinardus, v. 37, no. 6: 806.

A Practical Guide to Borehole Geophysics in Environmental Investigations by W. Scott Keys. Reviewed by Robert W. Taylor, v. 37, no. 2: 170.

Storage Reservoirs and Deep Wells in Karst Regions by Marko Breznik. Reviewed by Malcolm S. Field, v. 37, no. 3: 327.

Software Spotlight

ADEPT (A Program for Aquifer Data Evaluation), v. 1.1, by C.H.E.S.S. Inc. Reviewed by David M. Diodato, Richard T. Wardrop, and Matthew Becker, v. 37, no. 5: 647-648.

BUGS (Biological UnderGround Simulator) Scratchpad for Windows, v. 1.1, by Bugbytes Inc. Reviewed by David M. Diodato, Barbara Bekins, and Elie Haddad, v. 37, no. 4: 489-490.

Solutrans, v. 1.0, by Fitts Geosolutions. Reviewed by David M. Diodato, Steven P. Sayko, Bruce Campbell, and Jim Landmeyer, v. 37, no. 6: 808-809.

WQStat Plus, v. 1.53, by Intelligent Designs Technologies Ltd. Reviewed by David M. Diodato, Denice Heller Wardrop, April Cole, and James Redwine, v. 37, no. 3: 329-331.

Discussion of Papers

An Analytical Solution for Steady Flow into a Tunnel, by Shizhong Lei (v. 37, no. 1: 23-26). Discussion by Vedat Batu and Reply by Shizhong Lei, v. 37, no. 5: 643-644.

DNAPL Migration Through a Fractured Perching Layer, by Daniel B. Stephens, James A. Kelsey, Mark A. Prieksat, Mel G. Piepho, Chao Shan, and Mark D. Ankeny (v. 36, no. 4: 605-610). Discussion by D.M. Tuck and Reply by Daniel B. Stephens and Chao Shan, v. 37, no. 4: 485-486.

Predicting the Probability of Distribution of Yield from Boreholes in Crystalline Bedrock, by D. Banks (v. 36, no. 2: 269-274). Discussion by Ketil Haarstad and Reply by D. Banks, v. 37, no. 1: 4.

Rethinking Poisson-Based Statistics for Ground Water Quality Monitoring, by J.C. Loftis, H.K. Iyer, and H.J. Baker (v. 37, no. 2: 275-281). Discussion by Robert Gibbons and Reply by J.C. Loftis, H.K. Iyer, and H.J. Baker, v. 37, no. 6: 803-804.

Uncertainty Analyses of Fuel Hydrocarbon Degradation Signatures in Ground Water and Probabilistic Modeling, by W. McNab Jr. and B. Dooher (v. 36, no. 4: 691-698). Discussion by John R. Odermatt and Reply by Walt McNab Jr. and Brendan Dooher, v. 37, no. 2: 166-168.

Unsteady Stream Depletion from Ground Water Pumping, by B. Hunt (v. 37, no. 1: 98-102). Discussion by Ken Rushton and Reply by B. Hunt, v. 37, no. 6: 805.

Use and Misuse of the Chloride-Mass Balance Method in Estimated Ground Water Recharge (Technical Commentary), by W.W. Wood (v. 37, no. 1: 2-3). Discussion by Stanley N. Davis and Reply by Warren W. Wood, v. 37, no. 4: 486-487.

Editorials

A Civil Action—What Will Be the Legacy of Wells G and H? by E.S. Bair and W.W. Wood, v. 37, no. 2: 161-162.

The Commoditization of Hydrogeology by D. Elsenheimer, v. 37, no. 5: 641-642.

Is a Probabilistic Performance Assessment Enough? by L.F. Konikow and R.C. Ewing, v. 37, no. 4: 481-482.

Registration or Certification? by W.W. Wood, v. 37, no. 1: 1.

Risk-Based Corrective Fiction by B. Ross, v. 37, no. 6: 801-802.

Water Use and Consumption: What Are the Realities? by W.W. Wood, v. 37, no. 3: 321-322.

Technical Commentary

Boulton's Delayed Yield: A Different Context by T.N. Narasimhan, v. 37, no. 3: 323-326.

Modeling Software Has Gotten Better, But Conceptualization Still Lags Behind by F.D. Arnold, v. 37, no. 2: 163.

On the Misuse of the Simplest Transport Model by E. Baca, v. 37, no. 4: 483.

Use and Misuse of the Chloride-Mass Balance Method in Estimating Ground Water Recharge by W.W. Wood, v. 37, no. 1: 2-3.

Author Index of Volume 37, 1999

Allen, D.M., and F.A. Michel. *Characterizing a Faulted Aquifer by Field Testing and Numerical Simulation,* v. 37, no. 5: 718-728.

Appelo, C.A.J., B. Drijver, R. Hekkenberg, and M. de Jonge. *Modeling In Situ Iron Removal from Ground Water,* v. 37, no. 6: 811-817.

Arnade, L.J. *Seasonal Correlation of Well Contamination and Septic Tank Distance,* v. 37, no. 6: 920-923.

Arnold, F.D. *Technical Commentary—Modeling Software Has Gotten Better, But Conceptualization Still Lags Behind,* v. 37, no. 2: 163.

Avery, W.H., J.J. Donovan, and J.N. Ketchum. *Recharge Estimation by Stage-Discharge Interpolation of Springflows from Cross-Correlated Well Measurements,* v. 37, no. 3: 332-337.

Baca, E. *Technical Commentary — On the Misuse of the Simplest Transport Model,* v. 37, no. 4: 483.

Bair, E.S., and W.W. Wood. *Editorial—A Civil Action—What Will Be the Legacy of Wells G and H?* v. 37, no. 2: 161-162.

Baker, D.L, M.E. Arnold, and H.D. Scott. *Some Analytical and Approximate Darcian Means,* v. 37, no. 4: 532-538.

Ball, William P. *Review of book, Diffusion in Natural Porous Media: Contaminant Transport, Sorption/Desorption and Dissolution Kinetics* by Peter Grathwohl, v. 37, no. 1: 5.

Bardenhagen, I. *Skin Localization at Wells Drilled in a Vertical Fault Zone,* v. 37, no. 5: 764-769.

Basagaoglu, H., and M.A. Mariño. *Joint Management of Surface and Ground Water Supplies,* v. 37, no. 2: 214-222.

Batu, Vedat. *Discussion of An Analytical Solution for Steady Flow into a Tunnel,* by Shizhong Lei (v. 37, no. 1: 23-26). Discussion and Reply by Shizhong Lei, v. 37, no. 5: 643-644.

Becker, M.W., P.W. Reimus, and P. Vilks. *Transport and Attenuation of Carboxylate-Modified Latex Microspheres in Fractured Rock Laboratory and Field Tracer Tests,* v. 37, no. 3: 387-395.

Belitz, K., and W. Dripps. *Cross-Well Slug Testing in Unconfined Aquifers: A Case Study from the Sleepers River Watershed, Vermont,* v. 37, no. 3: 438-447.

Bjerg, P.L., K. Rügge, J. Cortsen, P.H. Nielsen, and T.H. Christensen. *Degradation of Aromatic and Chlorinated Aliphatic Hydrocarbons in the Anaerobic Part of the Grindsted Landfill Leachate Plume: In Situ Microcosm and Laboratory Batch Experiments,* v. 37, no. 1: 113-121.

Boateng, S., and J.D. Cawlfield. *Two-Dimensional Sensitivity Analysis of Contaminant Transport in the Unsaturated Zone,* v. 37, no. 2: 185-193.

Brahana, J.V. *Review of book, Hydrology in Practice—A Guide to Characterizing Ground-Water Systems* by William J. Stone, v. 37, no. 3: 328.

Brown, C.J., J.D. Coates, and M.A.A. Schoonen. *Localized Sulfate-Reducing Zones in a Coastal Plain Aquifer,* v. 37, no. 4: 505-516.

Cane, G., and I.D. Clark. *Tracing Ground Water Recharge in an Agricultural Watershed with Isotopes,* v. 37, no. 1: 133-139.

Cardenas, M., C. LeCompte, and G. Cua. *Estimation of Permeability of Disturbed Halite Using Inverse Modeling,* v. 37, no. 4: 539-545.

Carey, Anne E. *Review of book, Modeling Density-Driven Flow in Porous Media* by Ekkehard Holzbecher, v. 37, no. 4: 488.

Chapelle, F.H. *Bioremediation of Petroleum Hydrocarbon-Contaminated Ground Water: The Perspectives of History and Hydrology,* v. 37, no. 1: 122-132.

Chen, C., and J.J. Jiao. *Numerical Simulation of Pumping Tests in Multilayer Wells with Non-Darcian Flow in the Wellbore,* v. 37, no. 3: 465-474.

Chen, C.-S. *TEM Investigations of Aquifers in the Southwest Coast of Taiwan,* v. 37, no. 6: 890-896.

Chen, X., J. Goeke, and S. Summerside. *Hydraulic Properties and Uncertainty Analysis for an Unconfined Alluvial Aquifer,* v. 37, no. 6: 845-854.

Cook, P.G., A.J. Love, and J.C. Dighton. *Inferring Ground Water Flow in Fractured Rock from Dissolved Radon,* v. 37, no. 4: 606-610.

Davis, Stanley N. *Discussion of Use and Misuse of the Chloride-Mass Balance Method in Estimated Ground Water Recharge (Technical Commentary),* by W.W. Wood (v. 37, no. 1: 2-3). Discussion and Reply by Warren W. Wood, v. 37, no. 4: 486-487.

Dinwiddie, C.L., N.A. Foley, and F.J. Molz. *In-Well Hydraulics of the Electromagnetic Borehole Flowmeter,* v. 37, no. 2: 305-315.

Diodato, David M., Barbara Bekins, and Elie Haddad. *Review of software, BUGS (Biological UnderGround Simulator) Scratchpad for Windows,* v. 1.1, by Bugbytes Inc., v. 37, no. 4: 489-490.

Diodato, David M., Denice Heller Wardrop, April Cole, and James Redwine. *Review of software, WQStat Plus,* v. 1.53, by Intelligent Designs Technologies Ltd., v. 37, no. 3: 329-331.

Diodato, David M., Richard T. Wardrop, and Matthew Becker. *Review of software, ADEPT (A Program for Aquifer Data Evaluation),* v. 1.1, by C.H.E.S.S. Inc., v. 37, no. 5: 647-648.

Diodato, David M., Steven P. Sayko, Bruce Campbell, and Jim Landmeyer. *Review of software, Solutrans,* v. 1.0, by Fitts Geosolutions, v. 37, no. 6: 808-809.

El-Kadi, A.I., and G. Ling. *LPM-N: A Lumped Parameter Model for Nitrogen Leaching in Agricultural Lands,* v. 37, no. 1: 27-33.

Ellerd, M.G., J.W. Massmann, D.P. Schwaegler, and V.J. Rohay. *Enhancements for Passive Vapor Extraction: The Hanford Study,* v. 37, no. 3: 427-437.

Elsenheimer, D. *Editorial — The Commoditization of Hydrogeology,* v. 37, no. 5: 641-642.

Farrell, J., W.D. Bostick, R.J. Jarabek, and J.N. Fiedor. *Uranium Removal from Ground Water Using Zero Valent Iron Media,* v. 37, no. 4: 618-624.

Field, J.A., J.D. Istok, M.H. Schroth, T.E. Sawyer, and M.D. Humphrey. *Laboratory Investigation of Surfactant-Enhanced Trichloroethen Solubilization Using Single-Well, "Push-Pull" Tests,* v. 37, no. 4: 581-588.

Field, Malcolm S. *Review of book, Storage Reservoirs and Deep Wells in Karst Regions* by Marko Breznik, v. 37, no. 3: 327.

Fitts, Charles R. *Review of book, Applied Mathematics in Hydrogeology* by Tien-Chang Lee, v. 37, no. 5: 645.

Freeze, R.A., and S.M. Gorelick. *Convergence of Stochastic Optimization and Decision Analysis in the Engineering Design of Aquifer Remediation,* v. 37, no. 6: 934-954.

Gburek, W.J., G.J. Folmar, and J.B. Urban. *Field Data and Ground Water Modeling in a Layered Fractured Aquifer,* v. 37, no. 2: 175-184.

Gibbons, R.D. *Discussion of Rethinking Poisson-Based Statistics for Ground Water Quality Monitoring,* by J.C. Loftis, H.K. Iyer, and H.J. Baker (v. 37, no. 2: 275-281). Discussion and Reply by J.C. Loftis et al., v. 37, no. 6: 803-804.

Gibbons, R.D. *Use of Combined Shewart-CUSUM Control Charts for Ground Water Monitoring Applications,* v. 37, no. 5: 682-691.

Gieske, A. *Flow to a Well in a Water Table Aquifer: Speeding Up the Computation Type Curves for Low Beta Values,* v. 37, no. 2: 171-174.

Gosselin, D.C., S. Drda, F.E. Harvey, and J. Goeke. *Hydrologic Setting of Two Interdunal Valleys in the Central Sand Hills of Nebraska,* v. 37, no. 6: 924-933.

Gossell, M.A., T. Nishikawa, R.T. Hanson, J.A. Izbicki, M.A. Tabidian, and K. Bertine. *Application of Flowmeter and Depth-Dependent Water Quality Data for Improved Production Well Construction,* v. 37, no. 5: 729-735.

Guadagnini, A., and S. Franzetti. *Time-Related Capture Zones for Contaminants in Randomly Heterogeneous Formations,* v. 37, no. 2: 253-260.

Gylling, B., L. Moreno, and I. Neretnieks. *The Channel Network Model—A Tool for Transport Simulations in Fractured Media,* v. 37, no. 3: 367-375.

Haarstad, K. *Discussion of Predicting the Probability of Distribution of Yield from Boreholes in Crystalline Bedrock,* by D. Banks (v. 36, no. 2: 269-274). Discussion and Reply by D. Banks, v. 37, no. 1: 4.

Halford, K.J. *Effects of Steady-State Assumption on Hydraulic Conductivity and Recharge Estimates in a Surficial Aquifer System,* v. 37, no. 1: 70-79.

Hare, P.W., and R.E. Morse. *Monitoring the Hydraulic Performance of a Containment System with Significant Barometric Pressure Effects,* v. 37, no. 5: 755-765.

Hendry, M.J., J.R. Lawrence, and P. Maloszewski. *Effects of Velocity on the Transport of Two Bacteria Through Saturated Sand,* v. 37, no. 1: 103-112.

Hinds, J.J., S. Ge, and C.J. Fridrich. *Numerical Modeling of Perched Water Under Yucca Mountain, Nevada,* v. 37, no. 4: 498-504.

Hunt, B. *Unsteady Stream Depletion from Ground Water Pumping,* v. 37, no. 1: 98-102.

Indelman, P., G. Moltyaner, and G. Dagan. *Determining the Hydraulic Conductivity Spatial Structure at the Twin Lake Site by Grain-Size Distribution,* v. 37, no. 2: 223-227.

Iqbal, M.Z. *Role of Macropores in Solute Transport under Ponded Water Condition Produced by Laboratory Simulated Intense Storms,* v. 37, no. 5: 674-681.

Isiorho, S.A., and J.H. Meyer. *The Effects of Bag Type and Meter Size on Seepage Meter Measurements,* v. 37, no. 3: 411-413.

Istok, J.D., J.A. Field, M.H. Schroth, T.E. Sawyer, and M.D. Humphrey. *Laboratory and Field Investigation of Surfactant Sorption Using Single-Well, "Push-Pull" Tests,* v. 37, no. 4: 589-598.

Istok, J.D., J.E. Amonette, C.R. Cole, J.S. Fruchter, M.D. Humphrey, J.E. Szecsody, S.S. Teel, V.R. Vermeul, M.D. Williams, and S.B. Yabusaki. *In Situ Redox Manipulation by Dithionite Injection: Intermediate-Scale Laboratory Experiments,* v. 37, no. 6: 884-889.

James, R.A., and R. Ehrlich. *Core-Based Investigation of NMR Logging as a Tool for Characterization of Shallow Unconsolidated Aquifers,* v. 37, no. 1: 48-57.

Johansson, P.-O., C. Scharp, T. Alveteg, and A. Choza. *Framework for Ground Water Protection—The Managua Ground Water System as an Example,* v. 37, no. 2: 204-213.

Kasnavia, T., D. Vu, and D.A. Sabatini. *Fluorescent Dye and Media Properties Affecting Sorption and Tracer Selection,* v. 37, no. 3: 376-381.

Kim, J.-M., and R.R. Parizek. *A Mathematical Model for the Hydraulic Properties of Deforming Porous Media,* v. 37, no. 4: 546-554.

Kim, K., M.P. Anderson, and C.J. Bowser. *Model Calibration with Multiple Targets: A Case Study,* v. 37, no. 3: 345-351.

Konikow, L.F., and R.C. Ewing. *Editorial — Is a Probabilistic Performance Assessment Enough?* v. 37, no. 4: 481-482.

Kraft, G.J., W. Stites, and D.J. Mechenich. *Impacts of Irrigated Vegetable Agriculture on a Humid North-Central U.S. Sand Plain Aquifer,* v. 37, no. 4: 572-580.

Larocque, M., O. Banton, P. Ackerer, and M. Razack. *Determining Karst Transmissivities with Inverse Modeling and an Equivalent Porous Media,* v. 37, no. 6: 897-903.

Lee, J.Y., and K.-K. Lee. *Analysis of the Quality of Parameter Estimates from Repeated Pumping and Slug Tests in a Fractured Porous Aquifer System in Wonju, Korea,* v. 37, no. 5: 692-700.

Lei, S. *An Analytical Solution for Steady Flow into a Tunnel,* v. 37, no. 1: 23-26.

Loague, Keith. *Review of book, Elements of Physical Hydrology* by G.M. Hornberger, J.P. Raffensperger, P.L. Wiberg, and K.N. Eshleman, v. 37, no. 3: 327-328.

Loftis, J.C., H.K. Iyer, and H.J. Baker. *Rethinking Poisson-Based Statistics for Ground Water Quality Monitoring,* v. 37, no. 2: 275-281.

Logan, W.S., M.P. Auge, and H.O. Panarello. *Bicarbonate, Sulfate, and Chloride Water in a Shallow, Clastic-Dominated Coastal Flow System, Argentina,* v. 37, no. 2: 287-295.

Lu, G., T.P. Clement, C. Zheng, and T.H. Wiedemeier. *Natural Attenuation of BTEX Compounds: Model Development and Field-Scale Application,* v. 37, no. 5: 707-717.

Ma, Y., M.W. Kemblowski, and G.E. Urroz. *A Heuristic Model of Aerobic Biodegradation of Dissolved Hydrocarbons in Aquifers,* v. 37, no. 4: 491-497.

Mabee, S.B. *Factors Influencing Well Productivity in Glaciated Metamorphic Rocks,* v. 37, no. 1: 88-97.

MacDonald, T.R., P.K. Kitanidis, P.L. McCarty, and P.V. Roberts. *Effects of Shear Detachment on Biomass Growth and In Situ Bioremediation,* v. 37, no. 4: 555-563.

MacDonald, T.R., P.K. Kitanidis, P.L. McCarty, and P.V. Roberts. *Mass-Transfer Limitations for Macroscale Bioremediation Modeling and Implications on Aquifer Clogging,* v. 37, no. 4: 523-531.

Magowe, M., and J.R. Carr. *Relationship Between Lineaments and Ground Water Occurrence in Western Botswana,* v. 37, no. 2: 282-286.

McMahon, P.B., K.F. Dennehy, and M.W. Sandstrom. *Hydraulic and Geochemical Performance of a Permeable Reactive Barrier Containing Zero-Valent Iron, Denver Federal Center,* v. 37, no. 3: 396-404.

Mehnert, E., A.J. Valocchi, M. Heidari, S.G. Kapoor, and P. Kumar. *Estimating Transmissivity from the Water Level Fluctuations of a Sinusoidally Forced Well,* v. 37, no. 6: 855-860.

Meier, P.M., J. Carrera, and X. Sánchez-Vila. *A Numerical Study on the Relationship Between Transmissivity and Specific Capacity in Heterogeneous Aquifers,* v. 37, no. 4: 611-617.

Meinardus, Hans W. *Review of book, Practical Design Calculations for Groundwater and Soil Remediation* by Jeff Kuo, v. 37, no. 6: 806.

Mengis, M., S.L. Schiff, M. Harris, M.C. English, R. Aravena, R.J. Elgood, and A. MacLean. *Multiple Geochemical and Isotopic Approaches for Assessing Ground Water NO_3^- Elimination in a Riparian Zone,* v. 37, no. 3: 448-457.

Mukhopadhyay, A. *Spatial Estimation of Transmissivity Using Artificial Neural Network,* v. 37, no. 3: 458-464.

Munévar, A., and M.A. Mariño. *Modeling Analysis of Ground Water Recharge Potential on Alluvial Fans Using Limited Data,* v. 37, no. 5: 649-659.

Nakao, S., J. Najita, K. Karasaki. *Sensitivity Study on Hydraulic Well Testing Inversion Using Simulated Annealing,* v. 37, no. 5: 736-747.

Narasimhan, T.N. *Technical Commentary — Boulton's Delayed Yield: A Different Context,* v. 37, no. 3: 323-326.

Nativ, R., E.M. Adar, and A. Becker. *Designing a Monitoring Network for Contaminated Ground Water in Fractured Chalk,* v. 37, no. 1: 38-47.

Odermatt, John R. *Discussion of Uncertainty Analyses of Fuel Hydrocarbon Degradation Signatures in Ground Water and Probabilistic Modeling,* by W. McNab Jr. and B. Dooher (v. 36, no. 4: 691-698). Discussion and Reply by Walt McNab Jr. and Brendan Dooher, v. 37, no. 2: 166-168.

Ongley, Lois K. *Review of book, Contaminant Hydrogeology,* 2nd ed., by C.W. Fetter, v. 37, no. 1: 5-6.

Pang, L., and M. Close. *A Field Study of Nonequilibrium and Facilitated Transport of Cd in an Alluvial Gravel Aquifer,* v. 37, no. 5: 785-792.

Perkins, S.P., and M. Sophocleous. *Development of a Comprehensive Watershed Model Applied to Study Stream Yield under Drought Conditions,* v. 37, no. 3: 418-426.

Pohll, G., A.E. Hassan, J.B. Chapman, C. Papelis, and R. Andricevic. *Modeling Ground Water Flow and Radioactive Transport in a Fractured Aquifer,* v. 37, no. 5: 770-784.

Rajaram, Harihar. *Review of book, A Mathematical Primer on Groundwater Flow,* by John F. Hermance, v. 37, no. 2: 169.

Reynaud, A., Y. Guglielmi, J. Mudry, and C. Mangan. *Hydrochemical Approach to the Alterations of the Recharge of a Karst Aquifer Consecutive to a Long Pumping Period: Example Taken from Pinchinade Graben (Mouans-Sartoux, French Riviera),* v. 37, no. 3: 414-417.

Rimmer, A., S. Hurwitz, and H. Gvirtzman. *Spatial and Temporal Characteristics of Saline Springs: Sea of Galilee, Israel,* v. 37, no. 5: 663-673.

Robertson, W.D., and J. Harman. *Phosphate Plume Persistence at Two Decommissioned Septic System Sites,* v. 37, no. 2: 228-236.

Robinson, M.A., and D.L. Gallagher. *A Model of Ground Water Discharge from an Unconfined Coastal Aquifer,* v. 37, no. 1: 80-87.

Romano, C.G., E.O. Frind, and D.L. Rudolph. *Significance of Unsaturated Flow and Seepage Faces in the Simulation of Steady-State Subsurface Flow,* v. 37, no. 4: 625-632.

Rosen, M.R., J. Bright, P. Carran, M.K. Stewart, and R. Reeves. *Estimating Rainfall Recharge and Soil Water Residence Times in Pukekohe, New Zealand, by Combining Geophysical, Chemical, and Isotopic Methods,* v. 37, no. 6: 836-844.

Rosenthal, E., G. Weinberger, and J. Kronfeld. *Ground Water Salinization Caused by Residual Neogene and Pliocene Sea Water— An Example from the Judea Group Aquifer, Southern Israel,* v. 37, no. 2: 261-270.

Ross, B. *Editorial—Risk-Based Corrective Fiction,* v. 37, no. 6: 801-802.

Ross, B., and N. Lu. *Dynamics of DNAPL Penetration into Fractured Porous Media,* v. 37, no. 1: 140-147.

Rudakov, D.V., and V.C. Rudakov. *Analytical Modeling of Aquifer Pollution Caused by Solid Waste Depositories,* v. 37, no. 3: 352-357.

Rushton, Ken. *Discussion of Unsteady Stream Depletion from Ground Water Pumping* by B. Hunt (v. 37, no. 1: 98-102). Discussion and Reply by B. Hunt, v. 37, no. 6: 805.

Sanders, Laura L. *Review of book, Hydrology for Engineers, Geologists, and Environmental Professionals* by Sergio Serrano, v. 37, no. 2: 169-170.

Sato, T., J. Kojima, and H.A. Loaiciga. *Multicell Model for Ground Water Recharge Analysis: The Ibi River Basin, Japan,* v. 37, no. 1: 58-69.

Sauck, William A. *Review of CD-ROM, Applications of Geophysics in Environmental Investigations* by John P. Greenhouse, David D. Slaine, and Paul Gudjurgis, v. 37, no. 6: 806-807.

Scanlon, B.R., J.G. Paine, and R.S. Goldsmith. *Evaluation of Electromagnetic Induction as a Reconnaissance Technique to Characterize Unsaturated Flow in an Arid Setting,* v. 37, no. 2: 296-304.

Schnoebelen, D.J., and N.C. Krothe. *Reef and Nonreef Aquifers—A Comparison of Hydrogeology and Geochemistry, Northwestern Indiana,* v. 37, no. 2: 194-203.

Schulze-Makuch, D., D.A. Carlson, D.S. Cherkauer, and P. Malik. *Scale Dependency of Hydraulic Conductivity in Heterogeneous Media,* v. 37, no. 6: 904-919.

Seiler, R.L., S.D. Zaugg, J.M. Thomas, and D.L. Howcroft. *Caffeine and Pharmaceuticals as Indicators of Waste Water Contamination in Wells,* v. 37, no. 3: 405-410.

Sen, Z. *Simple Probabilistic and Statistical Risk Calculations in an Aquifer,* v. 37, no. 5: 748-754.

Serrano, S.E. *KYSPILL: A Practical Modeling System of Scale-Dependent Dispersion after Chemical Spills,* v. 37, no. 1: 18-22.

Slough, K.J., E.A. Sudicky, and P.A. Forsyth. *Importance of Rock Matrix Entry Pressure on DNAPL Migration in Fractured Geologic Materials,* v. 37, no. 2: 237-244.

Shapiro, S.D., D. LeBlanc, P. Schlosser, and A. Ludin. *Characterizing a Sewage Plume Using the ^{3}H-^{3}He Dating Technique,* v. 37, no. 6: 861-878.

Springer, A.E., W.D. Petroutson, and B.A. Semmens. *Spatial and Temporal Variability of Hydraulic Conductivity in Active Reattachment Bars of the Colorado River, Grand Canyon,* v. 37, no. 3: 338-344.

Stewart, M., and C. Langevin. *Post Audit of a Numerical Prediction of Wellfield Drawdown in a Semiconfined Aquifer System,* v. 37, no. 2: 245-254.

Stoessell, R.K. *Predicted Retardations of Concentration Fronts Using a Mass-Balance Approach,* v. 37, no. 5: 701-706.

Suk, H., and K.-K. Lee. *Characterization of a Ground Water Hydrochemical System Through Multivariate Analysis: Clustering into Ground Water Zones,* v. 37, no. 3: 358-365.

Swamee, P.K., A. Tyagi, and V.K. Shandilya. *Optimal Configuration of a Wellfield,* v. 37, no. 3: 382-386.

Székely, F. *Numerical Modeling of Drainage Schemes in Layered Formations: A Kuwait City Case Study,* v. 37, no. 6: 879-883.

Szilagyi, J. *On the Use of Semi-Logarithmic Plots for Baseflow Separation,* v. 37, no. 5: 660-662.

Taylor, K.C., T.B. Minor, M.M. Chesley, and K. Matanawi. *Cost Effectiveness of Well Site Selection Methods in a Fractured Aquifer,* v. 37, no. 2: 271-274.

Taylor, Robert W. *Review of book, A Practical Guide to Borehole Geophysics in Environmental Investigations* by W. Scott Keys, v. 37, no. 2: 170.

Tuck, D.M. *Discussion of DNAPL Migration Through a Fractured Perching Layer,* by Daniel B. Stephens, James A. Kelsey, Mark A. Prieksat, Mel G. Piepho, Chao Shan, and Mark D. Ankeny (v. 36, no. 4: 605-610). Discussion and Reply by Daniel B. Stephens and Chao Shan, v. 37, no. 4: 485-486.

van Leeuwen, M., C.B.M. te Stroet, A.P. Butler, and J.A. Tompkins. *Stochastic Determination of the Wierden (Netherlands) Capture Zones,* v. 37, no. 1: 8-17.

Wassenaar, L.I., and M.J. Hendry. *Improved Piezometer Construction and Sampling Techniques to Determine Pore Water Chemistry in Aquitards,* v. 37, no. 4: 564-571.

Weight, W.D., and G.P. Wittman. *Oscillatory Slug-Test Data Sets: A Comparison of Two Methods,* v. 37, no. 6: 827-835.

Williams, D.D., M.-K. Lee, J.E. Crawford, and P.O. Tyree. *Analysis of Convective Heat Transfer in Deformed and Stratified Aquifers Associated with Frasch Thermal Mining,* v. 37, no. 4: 517-522.

Wladis, D., L. Rosén, and H. Kros. *Risk-Based Decision Analysis of Atmospheric Emission Alternatives to Reduce Ground Water Degradation on the European Scale,* v. 37, no. 6: 818-826.

Wood, W.W. *Editorial — Registration or Certification?* v. 37, no. 1: 1.

Wood, W.W. *Editorial — Water Use and Consumption: What Are the Realities?* v. 37, no. 3: 321-322.

Wood, W.W. *Technical Commentary — Use and Misuse of the Chloride-Mass Balance Method in Estimating Ground Water Recharge,* v. 37, no. 1: 2-3.

Zawislanski, P.T., and B. Faybishenko. *New Casing and Backfill Design for Neutron Logging Access Boreholes,* v. 37, no. 1: 33-37.

Zlotnik, V.A., and H. Huang. *Effect of Shallow Penetration and Streambed Sediments on Aquifer Response to Stream Stage Fluctuations (Analytical Model),* v. 37, no. 4: 599-605.